
MINELTA

The essentials of imaging

www.minolta.com






Capios 130s




































 Λ

 $\Lambda_{00000000}$






















(A □ (A) □




_ _ _ _ **(**_ В**)**_





0 0 0 0 0 0 0 0 (0 **C**)0


3V[] [] [] [] [] CR123A[] [] [] DL123A[] 1[] [] [] [] []














2 □ □ □ □ □ □ □ ← FILM TIP □ □





- 3000000000000






 $oldsymbol{1}$

























































30000000000000000000000









□ □ □ □ 130mm(□ □)□ □ 65cm□ □ □ □ □ □ □ □ □ □ □ 0 60cm□ □ □ □ □










1.6m










36







4 AUTO	(p.43)	
4 ⊚ AUTO	(p.44)	
4	(p.46)	
3	(p.47)	
4 @	0000000 (p.48)	
3	0000 (p.49)	
+1.5	[] [] [p.50]	

37.5 mm 130mm ISO100 0.6-4.3 m 0.65-2.1 m ISO400 0.6-8.6m


0.65-4.3 m 1 200000000000000000

























20000000 000000

























- 3......








CR2032×10



























(00000000



5E Ł









1₀₀₀₀₀₀




5E E






`02 12 24 → 12 24 °02 → 24 12 °02




000000000000				
] 47			
0000000000				
	29			
	35			
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	33			

0000000000000000000		
		23
00000000000000		
	000000000000000000000000000000000000000	46
		111
000000000000000000000000000000000000000	00 00000000000000000000000000000000000	42
		29
0000000000000000000		
		52

		64				
0000000000000						
	00 00000000000000000000000000000000000	64				
000000000000000000000000000000000000000						
		21				
000000000000000000000000000000000000000						
		26 21				







9223-2476-61 NI-B304 Printed in China